

Case 2811***Catocala connubialis* Guenée, 1852 (Insecta, Lepidoptera): proposed conservation of the specific name**

Lawrence F. Gall

Entomology Division, Peabody Museum of Natural History, Yale University,
New Haven, Connecticut 06511, U.S.A.

Abstract. The purpose of this application is to conserve the specific name of the Connubial Underwing moth *Catocala connubialis* Guenée, 1852. This name is threatened by its unused senior synonym *Phalaena amasia* Smith, 1797 which was long thought to be invalid as a junior secondary homonym of *Catocala amasia* (Esper). However, it is now known that Esper's name was not published until 1804. Smith's name *amasia* is therefore available and it is now proposed that it be suppressed.

1. In 1797, J.E. Smith (p. 179) described and named as *Phalaena amasia* a new species of *Catocala* Schrank, 1802 from Virginia and Georgia. He figured two specimens on pl. xc, a male (upper right) and a female (lower left), stating: 'In this species the sexes differ more than usual in the colour of their upper wings. From the beautiful male our character is taken, according to general custom in insects as well as birds; but it applies also to the female as much as possible'. Early Nearctic *Catocala* workers recognized that the two specimens figured as *amasia* were not conspecific. The name *amasia* was subsequently restricted to the male upon which Smith had based his diagnosis. Smith's figured female was referred to *Catocala similis* Edwards, 1864 (see Grote & Robinson, 1866; Hulst, 1884; Smith, 1893; Dyar, 1903).

2. At the close of the 18th century, in *Die Schmetterlinge in Abbildungen...*, Esper described a *Catocala* species from Turkey as *Noctua amasia*. Throughout the 19th and 20th century literature the date of Esper's work was cited as 1796 (see Hampson, 1913, p. 115; Nye, 1975, p. 198); Sherborn & Woodward (1901, p. 139) accepted this date. Only recently has it been shown (Heppner, 1981, p. 253) that both the text (Theil 4, Band 2, Abschnitt 2, p. 55) and illustrations (Theil 4, Band 2, Abschnitt 1, pl. 194, figs. 1-2) comprising the description of *amasia* Esper were in fact not published until 1804.

3. In his catalogue of the NOCTUIDAE, Hampson (1913) placed *amasia* Esper as a synonym of *Phalaena puerpera* Giorna, 1791 (p. 104), and *amasia* Smith as a species in the genus *Ephesia* Hübner, 1818 (p. 11). In the Seitz volumes, Warren (1914) followed Hampson's treatment of these two taxa.

4. In their revision of the Nearctic *Catocala*, Barnes & McDunnough (1918, p. 17) showed that Hampson's division of *Catocala* into separate genera on the basis of adult leg spination was without merit, and placed *Ephesia* and Hampson's other genera as synonyms of *Catocala*. Nearctic workers (e.g. McDunnough, 1938; Forbes, 1954; Sargent, 1976; Hodges, 1983; Covell, 1984) have universally followed Barnes & McDunnough's generic treatment; indeed, *Catocala* is the only genus used by most Nearctic workers since the latter part of the 19th century. In the post-Hampson

Palaearctic literature, *Ephesia* was treated as a valid genus by some authors (e.g. Draudt, 1939; Forster & Wohlfahrt, 1971) or subgenus (Agenjo, 1959). However, more recent Palaearctic workers (e.g. Martin, 1980; Inouye et al., 1982; Sugi et al., 1987) have treated *Ephesia* as a synonym of *Catocala*. Poole, in his *Catalogue of the World Nocuidae* (1989), transferred to *Catocala* all taxa originally described in *Ephesia* and the other Hampsonian genera.

5. Beutenmüller (1907, p. 146) was apparently the first Nearctic worker to address the secondary homonymy involving *amasia* that occurs by treating *Catocala* as the only valid generic name. He resolved this homonymy by citing *amasia* Smith, 1797 as preoccupied by *amasia* Esper which he thought to date from 1786. He then placed *Catocala amasia* Smith under the synonymy of *Catocala cordelia* Edwards, 1880 (p. 59). Barnes & McDunnough (1917, 1918) followed Beutenmüller's taxonomic treatment, differing only in dating *amasia* Esper to 1796. McDunnough (1938, p. 118) later moved *cordelia* to the synonymy of *Catocala connubialis* Guenée, 1852 (p. 105), and it is now widely recognized that *cordelia* and *amasia* were names given to a morph that can be bred from *connubialis* females (and vice versa).

6. Since 1938 *connubialis* Guenée has appeared exclusively as the specific name in the Nearctic *Catocala* literature. The name has been used in the two subsequent descriptions of new forms for the species (Brower, 1940; Muller, 1960) and other taxonomic works on *Catocala* (Gall & Hawks, 1990); a book devoted to *Catocala* (Sargent, 1976); three principal monographs and catalogues treating moths (Forbes, 1954; Hodges, 1983; Poole, 1989); a field guide to moths (Covell, 1984); regional faunistic treatments (Tietz, 1952; Ferguson, 1953; Kimball, 1965; Brower, 1974; Nelson & Loy, 1983); the experimental zoological literature (Sargent, 1974; Sargent & Owen, 1975; Gall, 1991); and throughout numerous shorter reports on *Catocala* distributions and life histories including the annual *Season Summaries* of the Lepidopterists' Society. Hodges's (1983) list cites '*amasia* (J.E. Smith, 1797), part' under the synonymy of *Catocala similis*, but omits *amasia* from the synonymy of *connubialis*, and Poole's (1989) catalogue fails to mention J.E. Smith's name. The original edition (Holland, 1903) of the *Moth Book* treated *amasia* Smith as a valid nominal species, and several reprintings during the first half of the 20th century retained the old 1903 taxonomy. Hence, the reprinted *Moth Book* fell badly out of step with taxonomic treatments reported in the literature, as was acknowledged in the prefaces and introductions to later volumes. Only in 1968, when Holland's tome was republished with taxonomic emendations by A.E. Brower, was the name *connubialis* Guenée finally substituted for *amasia* Smith. Nevertheless, it is clear that the *Moth Book* reprintings had no significant impact on the already long accepted usage of the name *connubialis*.

7. As outlined above, the name *amasia* Smith, 1797 has since the works of Beutenmüller (1907) and Barnes & McDunnough (1917, 1918) been erroneously treated as a junior, rather than senior, secondary homonym of *amasia* Esper in the genus *Catocala*. To reintroduce *amasia* Smith as a senior synonym of *connubialis* Guenée, 1852 would upset long-standing nomenclatural usage.

8. The International Commission on Zoological Nomenclature is accordingly asked:

- (1) to use its plenary powers to suppress the specific name *amasia* Smith, 1797, as published in the binomen *Phalaena amasia*, for the purposes of the Principle of Priority but not for those of the Principle of Homonymy;

- (2) to place on the Official List of Specific Names in Zoology the name *connubialis* Guenée, 1852, as published in the binomen *Catocala connubialis*;
- (3) to place on the Official Index of Rejected and Invalid Specific Names in Zoology the name *amasia* Smith, 1797, as published in the binomen *Phalaena amasia* and as suppressed in (1) above.

References

Agenjo, R. 1959. Las *Catocala* Schrk., 1802, españolas, con más amplias consideraciones respecto a las de mayor interés forestal (Lep. Noct.). *Eos* (Madrid), **35**: 301–384.

Barnes, W. & McDunnough, J. 1917. *Check list of the Lepidoptera of boreal America*. 392 pp. Herald Press, Decatur.

Barnes, W. & McDunnough, J. 1918. Illustrations of the North American species of the genus *Catocala*. *Memoirs of the American Museum of Natural History*, (2)3: 1–47.

Beutenmüller, W. 1907. Notes on and descriptions of new forms of *Catocala*. *Bulletin of the American Museum of Natural History*, **23**: 145–151.

Brower, A.E. 1940. Descriptions of some new Macrolepidoptera from eastern America. *Bulletin of the Brooklyn Entomological Society*, **35**: 138–140.

Brower, A.E. 1974. A list of the Lepidoptera of Maine — Part 1, the Macrolepidoptera. *University of Maine (Orono) Life Sciences and Agricultural Experiment Station Technical Bulletin*, **66**: 1–136.

Covell, C.V. 1984. *A field guide to the moths of eastern North America*. 496 pp. Houghton Mifflin, Boston.

Dyar, H.G. 1903. *A list of North American Lepidoptera and key to the literature of this order of insects*. 723 pp. Government Printing Office, Washington.

Edwards, H. 1880. Notes upon the genus *Catocala*, with descriptions of new varieties and species. *Bulletin of the Brooklyn Entomological Society*, **3**: 53–62.

Edwards, W.H. 1864. Descriptions of certain species of *Catocala*, found within the United States. *Proceedings of the Entomological Society of Philadelphia*, **2**: 508–512.

Esper, E.J.C. [1804]a. *Die Schmetterlinge in Abbildungen nach der Natur mit Beschreibungen*. Theil 4 (Die Eulenphalen). Band 2. Abschnitt 1. Pp. 373–698, pls. 184–198. Walther, Erlangen.

Esper, E.J.C. [1804]b. *Die Schmetterlinge in Abbildungen nach der Natur mit Beschreibungen*. Theil 4 (Die Eulenphalen). Band 2. Abschnitt 2. Pp. 1–85. Walther, Erlangen.

Ferguson, D.C. 1953. The Lepidoptera of Nova Scotia: part 1, Macrolepidoptera. *Proceedings of the Nova Scotian Institute of Science*, **23**: 1–375.

Forbes, W.T.M. 1954. Lepidoptera of New York and neighboring states. III. Noctuidae. *Memoirs of the Cornell University Agricultural Experiment Station*, **329**: 1–433.

Forster, W. & Wohlfahrt, T.A. 1971. *Die Schmetterlinge Mitteleuropas*, vol. 4 (Eulen, Noctuidae). 329 pp. Keller, Stuttgart.

Gall, L.F. 1991. Evolutionary ecology of sympatric *Catocala* moths (Lepidoptera: Noctuidae). III. Experiments on female oviposition preference. *Journal of Research on the Lepidoptera*, **29**: 217–233.

Gall, L.F. & Hawks, D.C. 1990. Systematics of moths in the genus *Catocala* (Lepidoptera: Noctuidae). I. Type material in the Strecker collection, with lectotype designations. *Fieldiana (Zoology)*, (2)59: 1–16.

Giorna, M.E. 1791. *Calendario entomologico, ossia osservazioni sulla stagioni proprie agl' insetti nel clima Piemontese, e particolarmente ne' contorni di Torino*. 146 pp. Torino.

Grote, A.R. & Robinson, C.T. 1866. Lepidopterological notes and descriptions, no. 2. *Proceedings of the Entomological Society of Philadelphia*, **6**: 1–30.

Guenée, A. 1852. *Histoire naturelle des insectes. Species général des Lépidoptères*, vol. 7 (Noctuelites), part 3. 441 pp. Roret, Paris.

Hampson, G.F. 1913. *Catalogue of the Lepidoptera Phalaenae in the British Museum*, vol. 12. 626 pp. British Museum, London.

Heppner, J.B. 1981. The dates of E.J.C. Esper's *Die Schmetterlinge in Abbildungen... 1776–1830*. *Archives of Natural History*, **10**: 251–254.

Hedges, R.W. 1983. *Check list of the Lepidoptera of America north of Mexico*. 284 pp. University Press, Cambridge.

Holland, W.J. 1903. *The moth book*. 479 pp. Doubleday, Page & Co., New York.

Holland, W.J. 1968. *The moth book* (unabridged republication of the 1903 Doubleday edition, with annotations and foreword by A. E. Brower). 479 pp. Dover, New York.

Hübner, J. 1818. *Zutriäge zur Sammlung exotischer Schmettlinge, bestehend in Bekundigung einzelner Fliegmuster neuer oder rarer nichteuropäischer Gattungen. Erstes Hundert*. 40 pp., 35 pls., figs. 1–200 (plates published [1808–1818]). Augsburg.

Hulst, G.D. 1884. The genus *Catocala*. *Bulletin of the Brooklyn Entomological Society*, **3**: 14–56.

Inouye, H., Sugi, S., Kuroko, H., Moriuti, S. & Kawabe, A. 1982. *Moths of Japan*, vol. 2. 552 pp. Kodansha, Tokyo.

Kimball, C.P. 1965. *The Lepidoptera of Florida: an annotated checklist*. 363 pp. State of Florida Department of Agriculture, Gainesville.

Martin, M. 1980. [On the morphology of the genitalia of genera *Mormonia* Hb., *Catocala* Schrk., and *Ephesia* Hb. (Lepidoptera, Noctuidae)]. *Uchenye Zapiski Tartuskogo Gosudarstvennogo Universiteta*, **13**(516): 36–53. [In Russian.]

McDunnough, J. 1938. Check list of the Lepidoptera of Canada and the United States of America. Part 1. Macrolepidoptera. *Memoirs of the Southern California Academy of Sciences*, **1**: 1–272.

Muller, J. 1960. A new melanic form of *Catocala connubialis* from New Jersey (Noctuidae). *Journal of the Lepidopterists' Society*, **14**: 177.

Nelson, J.M. & Loy, P.W. 1983. The Underwing Moths (Lepidoptera: Noctuidae) of Oklahoma. *Proceedings of the Oklahoma Academy of Science*, **63**: 60–67.

Nye, I.W.B. 1975. *The generic names of moths of the world*, vol. 1 (Noctuioidea (part): Noctuidae, Agaristidae, and Nolidae). 568 pp. British Museum (Natural History), London.

Pool, R.W. 1989. Noctuidae, part 3. *Lepidopterorum Catalogus*, (2) **118**: 1015–1314.

Sargent, T.D. 1974. Melanism in moths of central Massachusetts (Noctuidae, Geometridae). *Journal of the Lepidopterists' Society*, **28**: 145–152.

Sargent, T.D. 1976. *Legion of night: the Underwing Moths*. 222 pp. University of Massachusetts Press, Amherst.

Sargent, T.D. & Owen, D.F. 1975. Apparent stability in hindwing diversity in samples of moths of varying species composition. *Oikos*, **26**: 205–210.

Schrank, F.P. 1802. *Fauna Bioica. Durchgedachte Geschichte der in Baiern einheimischen und zahmen Thiere*, vol. 2. 173 pp. Krull, Ingolstadt.

Sherborn, C.D. & Woodward, B.B. 1901. The dates of Esper's 'Schmetterlinge'. *Annals and Magazine of Natural History*, (7) **7**(37): 137–140.

Smith, J.B. 1893. A catalogue, bibliographical and synomynical, of the species of moths of the lepidopterous superfamily Noctuidae, found in boreal America. *Bulletin of the United States National Museum*, **44**: 1–424.

Smith, J.E. 1797. *The natural history of the rarer lepidopterous insects of Georgia including their systematic characters, the particulars of their several metamorphoses, and the plants on which they feed. Collected from the observations of Mr. John Abbot many years resident in that country*, vol. 2. Pp. 101–214, pls. 51–104. Bensley, London.

Sugi, S., Yamamoto, M., Nakatomi, K., Sato, R., Nakajima, H. & Owada, M. 1987. *Larvae of the larger moths in Japan*. 453 pp. Kodansha, Tokyo.

Tietz, H.M. 1952. *The Lepidoptera of Pennsylvania*. 194 pp. Pennsylvania Agricultural Experiment Station, Pennsylvania State College of Agriculture.

Warren, W. 1914. Subfamily *Catocalinae*, pp. 301–444 in: Seitz, A. (Ed.) *The Macrolepidoptera of the world*. Section I: The Macrolepidoptera of the Palearctic Region. Tome III: Noctuiform Phalaenae. Kernen, Stuttgart.